



GAME BIRD COOP WITH TOP DOOR

Cod. 0113004
Dimensions: 650x360x250 mm
Weight: 2,450 kg
• HD polyethylene UV stabilized



GAME BIRD COOP WITHOUT TOP DOOR

Cod. 0113003
Dimensions: 650x360x250 mm
Weight: 2,450 kg
• HD polyethylene UV stabilized



GIORDANO POULTRY PLAST S.p.A. reserves the right to modify products' features and data contained in this catalogue, and accepts no liability for errors and/or omissions in the published information



GIORDANO
POULTRY PLAST®

purely professional.

Giordano Poultry Plast S.p.A.

Via Bernezzo, 47
12023 CARAGLIO - Cuneo - Italy
Tel. +39 0171 61.97.15
Fax +39 0171 81.75.81
info@poultryplast.com



www.poultryplast.com



GIORDANO POULTRY PLAST®



BIRDS TRANSPORT

www.poultryplast.com





- Strong and durable
- Hygienic
- Easy to clean
- Safe, all edges rounded
- Excellent ventilation
- Perfect stacking
- Easy to handle
- HD polyethylene UV stabilized

BOX 4 COMPARTMENTS - 100 (4x25)

Cod. 0402001

Dimensions: 69x49x16 cm
Weight: 1,940 kg
Load resistance: 200 kg
Shipping capacity: 1.050 pieces per 20 ft cnt



- Strong and durable
- Hygienic
- Easy to clean
- Safe, all edges rounded
- Excellent ventilation
- Perfect stacking
- Easy to handle
- HD polyethylene UV stabilized

BOX 2 COMPARTMENTS - 100 (2x50)

Cod. 0402002

Dimensions: 69x48,5x18 cm
Weight: 2,200 kg
Load resistance: 200 kg
Shipping capacity: 2.080 pieces per 20 ft cnt





- Strong and durable
- Hygienic
- Easy to clean
- Safe, all edges rounded
- Excellent ventilation
- Perfect stacking
- Easy to handle
- HD polyethylene UV stabilized

BOX 1 COMPARTMENT - 100 (1x100)

Cod. 0402003

Dimensions: 63x42x15,5 cm
Weight: 1,650 kg
Load resistance: 200 kg
Shipping capacity: 1.020 pieces per 20 ft cnt



Few things that make Piedmont line more economical and safe:

- smooth and round surfaces minimize bruises and broken wings, preventing injuries during the coop handling;
- the spring latch keeps birds safely locked in the coop;
- the special design guarantees maximum ventilation, quicker and easier cleaning. Perfect interlocking reduces danger of load shifting. UV stabilizer reduces ageing due to solar rays.

Very simple to assemble: push fit-self locking. No equipment needed. A simple pressure assures the complete assembly of the coop.

- HD polyethylene UV stabilized

PIEDMONT COOP

Dimensions: 97x58x27 cm
Sliding top door size: 42x38 cm
Side spring door size: 30x19 cm
Weight: 7,800 kg
Loading resistance: 1.000 kg
Standard colour: yellow with white doors
Capacity: 18/20 birds, dependent on climate and weight
Shipping capacity: 700 one door coop, or 650 two door coops per 20 ft cnt

Cod. 0101001



Cod. 0101002



Cod. 0102001

Cod. 0102002



MINI - PIEDMONT COOP

Dimensions: 77x57x29 cm
Sliding top door size: 42x32 cm
Side spring door size: 30x19 cm
Weight: 6,750 kg
Loading resistance: 1.000 kg
Standard colour: yellow with white doors
Capacity: 14/16 birds, dependent on climate and weight
Shipping capacity: 750 one door coop, or 720 two doors coop per 20 ft cnt




QUAIL COOP

Dimensions: 67x45x15 cm
Sliding top door size: 20x15 cm
Side spring door size: 16x9 cm
Weight: 2,445 kg
Loading resistance: 600 kg
Standard colour: yellow with white door
Shipping capacity: 1.450 coops per 20 ft cnt

Cod. 0113001






UNIVERSAL COOP - 110x58x27 cm

3 DOORS - PIERCED BOTTOM
Cod. 0107022

2 DOORS - PIERCED BOTTOM
Cod. 0107023

1 DOOR - PIERCED BOTTOM
Cod. 0107027

WITHOUT DOOR
Cod. 0107024




COVER WITH SLIDING DOOR
Cod. 0107206



COVER WITH SWINGING DOOR
Cod. 0107202

• HD polyethylene UV stabilized



UNIVERSAL COOP - 97x58x27 cm

3 DOORS - PIERCED BOTTOM
Cod. 0106013

2 DOORS
Cod. 0106017

1 DOOR
Cod. 0106020

COVER WITHOUT DOOR
Cod. 0106201

COVER WITH SWINGING DOOR
Cod. 0106202

• HD polyethylene UV stabilized




SPARE PARTS

DOOR 30x19 cm
Cod. 0114006

SPRING
Cod. 0114016

SPRING HOLDER
Cod. 0114015





DRAWER - H220 mm

Cod. 0107520

External dimensions: 1.160x770x h.220 mm
Internal dimensions: 1.110x700x h.195 mm
Weight with pierced bottom: 8,700 kg
Weight with semi pierced bottom: 9,450 kg
Shipping capacity: 300 units per 40 ft cnt



DRAWER - H255 mm

Cod. 0107500

External dimensions: 1.160x770x h.255 mm
Internal dimensions: 1.110x700x h.230 mm
Weight with pierced bottom: 9,500 kg
Weight with semi pierced bottom: 9,850 kg
Shipping capacity: 270 units per 40 ft cnt



BOTTOMS


FULLY PIERCED



SEMI - PIERCED



• HD polyethylene UV stabilized




DRAWER - H355 mm

Cod. 0107511

External dimensions: 1.160x770x h.355 mm
Internal dimensions: 1.110x700x h.330 mm
Weight with pierced bottom: 11,300 kg
Weight with semi pierced bottom: 11,800 kg
Shipping capacity: 180 units per 40 ft cnt

• HD polyethylene UV stabilized



TURKEY COOP

Cod. 0105001 - 1 door

Cod. 0105002 - 2 doors

Dimensions: 97x58x42 cm
Weight: 11,500 kg
Sliding top door size: 42x32 cm
Side spring door size: 30x40 cm
Loading resistance: 1.000 kg
Standard colour: yellow with white doors
Capacity: 3/4 turkeys, depending on climate and weight
Shipping capacity:
400 coops per 20 ft cnt
800 coops per 40 ft cnt



MINI - TURKEY COOP

Cod. 0103001 - 1 door

Cod. 0103002 - 2 doors

Dimensions: 77x57x42 cm
Weight: 9,200 kg
Sliding top door size: 42x32 cm
Side spring door size: 30x40 cm
Loading resistance: 1.000 kg
Standard colour: yellow with white doors
Capacity: 2/3 turkeys, depending on climate and weight
Shipping capacity:
500 coops per 20 ft cnt
1.000 coops per 40 ft cnt



• HD polyethylene UV stabilized



The best system in the world for transporting homing pigeons. These plastic crates are the result of long experience in designing and manufacturing various types of crates for live bird handling and have been designed to comply with the specific requirements of all pigeon-fanciers. Due to their rational and stylish line, as well as to their suitable colours, these crates offer better welfare and comfort to the pigeons. The smooth and rounded surfaces grant maximum safety to the birds, avoiding all risks of injury and damage, while adequate ventilation is allowed by the mesh design of the sides. Being made of high density polyethylene, UV stabilized, top quality plastic, the coops remain unaffected by climatic conditions and can be easily washed and disinfected, thus eliminating any form of bacterial contaminations, assuring at all times the best hygienic conditions. Their temperature resistance is from -40° to +120°. Coops are stackable and thanks to their particular robust design they can bear considerable weight and are extremely long-lasting. These crates can be delivered flat-packed for maximum convenience. Eight plastic stay bolts permit rapid assembly/dismantling of the A and B type coops whereas the coop type C must be fixed by means of staples or nails. Standard colours available: blue/white for the type A/B coops. Red/white for the type C coop.



PIGEON COOP TYPE A - swinging door

Cod. 0111002

Dimensions: 100x75x30 cm
Hinged door size: 90x21cm
Small door size 12x15 cm
Weight: 9,790 kg
Capacity: 20/22 pigeons
Loading resistance: 800 kg
Shipping capacity: 400 coops per 20 ft cnt

Carpeting available on request.
The swinging door can be opened automatically, row by row, by means of a simple device that users can fit themselves.



PIGEON COOP TYPE B - sliding door

Cod. 0111001

Dimensions: 100x75x30 cm
Sliding door size: 44x21cm
Small door size: 12x15 cm
Weight: 10,075 kg
Capacity: 20/22 pigeons
Loading resistance: 800 kg
Shipping capacity: 400 coops per 20 ft cnt

Carpeting available on request



PIGEON COOP TYPE C

Cod. 0112001

Dimensions: 61x31,5x27 cm
Sliding door size: 27x21cm
Top door size: 20x14 cm
Weight: 3,125 kg
Capacity: 4/6 pigeons
Loading resistance: 150 kg
Shipping capacity: 2.200 coops per 20 ft cnt
Inner partition wall and carpeting available on request

• HD polyethylene UV stabilized

